







# NEFRYT LED 15W, garden luminaire, 1100lm, IP54, 4000K, white

Marka: ADVITI | Symbol: AD-OP-6147WLPM4 | Ean: 5908254817564





### PRODUCT DESCRIPTION

A garden luminaire with a simple, oval shape that perfectly illuminates the entrance to the building, driveway, terrace or garden arbors. This outdoor lamp can be mounted on the walls of buildings and even on fences. Several identical luminaires mounted at a distance or next to one another will create an interesting visual effect, and the entrance to the house or office building will look beautiful. The luminaire uses SMD LEDs, which guarantee high energy efficiency and have a long service life, because they shine up to 50,000 hours. The presented garden lamp works with rated power of 15W and emits light with luminous flux of 1100 lm. It shines









with a natural white color of light at a temperature of 4000K. The degree of ingress protection IP54 guarantees sufficient protection against dust and water, which is why this garden luminaire will easily withstand even more difficult weather conditions. The lamp is available in white. Made of unbreakable polycarbonate (PC).

## TECHNICAL DATA

## General information:

| Possibility of cooperation with a dimmer:         | No                      |
|---|-------------------------|
| Connection type:                                  | Screw cube              |
| The minimum distance from the illuminated object: | 0,5 m                   |
| Luminous flux:                                    | 1100 lm                 |
| Rated power:                                      | 15 W                    |
| Light source:                                     | LED SMD                 |
| Degree of protection (IP):                        | 54                      |
| Colour temperature:                               | 4000                    |
| Beam angle:                                       | 120 °                   |
| Nominal voltage:                                  | 230V~, 50Hz             |
| Colour:   | white                   |
| Solar panel:                                      | No                      |
| Dimensions - depth:                               | 44.5 mm                 |
| Dimensions - width:                               | 212,2 mm                |
| Dimensions - height:                              | 119.2 mm                |
| Other features:                                   | integrated light source |
| Colour rendering index CRI:                       | 85                      |
| Material housing:                                 | PC                      |
| Material of the lampshade:                        | PC                      |
| Control of the motion sensor:                     | No                      |
| Number of on / off cycles:                        | 100000                  |
| Protection class against electric shock:          | П                       |











### Operating temperature:

- 20 ~ 40°C















