

## DRACO LED NEW flush-mounted staircase light fitting 1.5W, 12VDC, 30lm, 4000K, black, innovative installation

**Adviti**

Marka: **ADVITI** | Symbol: **AD-OS-6164L4/B** | Ean: **5908254821073**



### PRODUCT DESCRIPTION

LED staircase lights designed to provide decorative lighting to stairways, halls, walls, facades and other indoor traffic areas. The unique design of the light, its fixture made of stainless steel and the use of LED technology make the lamp suitable for both – classic and modern interiors. This staircase lamp works with rated power of 1.5W and emits light with luminous flux of 30 lm with a pleasant colour, which is 4000K. The innovative method of assembly allows you to mount the luminaire in any box with a diameter of 60 mm.

## TECHNICAL DATA

### General information:

|                                                      |                                                    |
|------------------------------------------------------|----------------------------------------------------|
| Nominal voltage [V]:                                 | 12                                                 |
| Lamp type:                                           | LED, niewymienne                                   |
| Suitable for lamp power [W]:                         | 1.5                                                |
| Rated luminous flux according to IEC 62722-2-1 [lm]: | 30                                                 |
| With light source:                                   | tak                                                |
| Colour temperature [K]:                              | 4000                                               |
| Rated life time L70/B50 at 25 °C [h]:                | 20000                                              |
| Colour rendering index CRI:                          | 80-89                                              |
| Colour of light:                                     | Neutralny biały                                    |
| Degree of protection (IP):                           | IP20                                               |
| Protection class:                                    | III                                                |
| Suitable for wall mounting:                          | tak                                                |
| Suitable for built-in mounting:                      | tak                                                |
| Material housing:                                    | Stal                                               |
| Colour housing:                                      | Czarny                                             |
| Material cover:                                      | Tworzywo sztuczne matowe/satynowe                  |
| :                                                    | 50                                                 |
| Width [mm]:                                          | 75                                                 |
| Height/depth [mm]:                                   | 32.5                                               |
| Length [mm]:                                         | 75                                                 |
| Built-in diameter [mm]:                              | 60                                                 |
| Voltage type:                                        | DC                                                 |
| Type of wiring:                                      | Z okablowaniem przelotowym                         |
| Connection type:                                     | Końcówka niezarobiona                              |
| Other features:                                      | wersja podstawowa, może współpracować z wersją PIR |



