







## AQUATIC MINI IP54 Switch + Socket 2P+E (Schuko), white/black, 5 pcs

Marka: Orno | Symbol: OR-OE-7307(GS)/WB/5 | Ean: 5908254830785





## PRODUCT DESCRIPTION

Aquatic Mini, is the sister brand of the classic Aquatic designed for special tasks.

Due to its small size, it is suitable for use wherever space is at a premium and protection against dust and water jets is required - the Aquatic features protection class IP54.

The accessories in this range consist of sockets and switches, providing the comfort of assembling





**1** 

components for an entire room or even building with a consistent aesthetic.

The double accessory, which includes an integrated switch and a 2P+E single socket, is a convenient solution for small areas.

The Aquatic Mini 2P+E single socket is the simplest, basic variant of electrical sockets. It is small, so it will fit into tight recesses or on a narrow section of wall. The included switch, on the other hand, will allow you to conveniently control the lighting.

In addition, the MINI series offers an aesthetically pleasing design that fits in with both commercial and industrial interiors. Well-fitted switch buttons and housing elements ensure safe use for a long time. Schuko type socket, in white and black color. Package of 5 pcs.

## TECHNICAL DATA

## General information:

No set of a comment [A].	1/
Nominal current [A]:	16
Frequency [Hz]:	50
Width of device [mm]:	54
Height of device [mm]:	130
Depth of device [mm]:	38
Nominal voltage [V]:	230
Mounting method:	Montaż natynkowy
Colour:	Inne
Model:	Ze stykiem ochronnym (SCHUKO)
Number of units:	2
With hinged lid:	tak
Connection type:	Zacisk śrubowy
Surface protection:	Stan surowy
With signal lamp:	nie
Number of phases:	1
With enhanced contact protection:	tak
With on/off switch:	tak

Page 2 / 3

Update date: 2025-05-07 12:59:33







Protective contact:	tak
Label space/information surface:	nie
Material quality:	Tworzywo termoplastyczne
Material:	Tworzywo sztuczne
Type of fastening:	Montaż natynkowy
Surface finishing:	Matowy
Suitable for degree of protection [IP]:	IP54
Quantity:	5