

Two-family video outdoor unit, 2 MP Full HD, RFID, codelock to expand GAYD MULTI2 sets

Marka: **ORNO Home** | Symbol: **OR-VID-MA-1081KV** | Ean: **5908254845918**



PRODUCT DESCRIPTION

Two-family video outdoor unit to expand GAYD MULTI2 set, which ensures full control over entrances to a property.

The GAYD outdoor unit is equipped with a 2MP camera, which takes pictures and records video footage in a very good Full HD quality. A wide viewing angle of 52° vertically and 105° horizontally provides a full picture from in front of the wicket. In addition, IR lighting guarantees visibility at night without blinding the visitor

(range up to 1m).

The built-in motion sensor records photos and videos after detecting movement near the wicket (detects an intruder and alerts about it). The incidents are recorded on a microSD card installed in the monitor.

The outdoor unit is made of aluminium and is IP65 rated. It has a protective rain cover which provides peace of mind about its durability. A built-in code lock and RFID 125kHz proximity card and tag reader facilitate easy entrance for authorized persons, and a name tag allows visitors to easily find the correct property without the risk of confusion.

The outdoor unit is silver with dimensions of 91x184 mm. The installation is universal as it may be surface- or flush-mounted.

The possibility of expanding the GAYD MULTI2 set with additional outdoor unit (max. 2 per set) and additional IP camera (max. 2 per set) enhances the feeling of security, thus providing a comprehensive entry control over a property.

TECHNICAL DATA

General information:

Installation technique:	Dwużyłowe
Number of wires (*from outdoor unit to electric strike):	2 (+2)*
Mounting method:	Montaż natynkowy lub podtynkowy
Number of call buttons:	2
Operation mode:	Przycisk
With camera:	tak
Resolution of the camera:	2MP, 1920x1080, 1080p
View angle (horizontal) [°]:	105
View angle (vertical) [°]:	52
Night lighting:	IR
With digital door code:	tak
Card and proximity tags reader:	tak
RFID tags frequency:	125kHz
Label space/information surface:	tak

With cover:	tak
Degree of protection (IP):	IP65
Material front:	Aluminium
Colour:	Srebrny
Width [mm]:	91
Height [mm]:	184
Depth [mm]:	43
Built-in width [mm]:	83
Built-in height [mm]:	183
Built-in depth [mm]:	35