

Single family video outdoor unit, Full HD, RFID, to expand TALOS sets

创

୍ରୁ

(†)

Marka: ORNO Home | Symbol: OR-VID-MS-1078KV | Ean: 5908254840807





PRODUCT DESCRIPTION

The TALOS video-doorphone set is designed for individual users, small businesses and institutions. The devices are characterised by an intuitive 4-wire connection, which enables easy self-assembly and reduces the number of cables leading to the wicket.

The TALOS outdoor unit offers 2MP, 1920x1080, 1080p color camera images and a wide viewing angle of 112° horizontally – providing a full view in front of the wicket. The night-lighting function ensures visibility in the dark



without dazzling the visitor and without signalling the connection. The RFID reader allows easy entry to the property for authorised persons, and the low-current electric strike (max. 500mA) is powered directly from the outdoor unit, so no additional power supply is needed for the wicket, resulting in fewer wires running through the garden.

<u>에</u> ହ

A motion sensor in the outdoor unit allows recording of photos/videos when motion is detected (microSD card). The outdoor unit is IP65-rated, made of high-quality aluminium and has a rain cover.

It is also expandable with up to 3 additional monitors, an additional outdoor unit and 2 additional CCTV cameras to create a bigger entrance control and monitoring system, even with two home entrances and a multi-storey building. An additional facility is the intercom function, which allows connections between others monitors, facilitating communication in large buildings, e.g. between floors (function possible with additional monitors).

TECHNICAL DATA

General information:

Installation technique:	System wieloprzewodowy
Number of wires:	4
Mounting method:	Montaż natynkowy
Modular construction:	nie
Number of call buttons:	1
Operation mode:	Przycisk
With camera:	tak
Resolution of the camera:	1080p
View angle (horizontal) [°]:	112
View angle (vertical) [°]:	55
Night lighting:	IR
Card and proximity tags reader:	tak
RFID tags frequency:	125kHz
Label space/information surface:	nie
With cover:	nie
Degree of protection (IP):	IP65



Product data sheet

Material front:	Aluminium
Colour:	Srebrny
Width:	67
Height:	130
Depth:	33